## **Partial Quotients**

Home Link 6-7		
NAME	DATE	TIME
jk.		

Estimate. Write a number model to represent the problem. Solve using partial quotients. SRB

1 The carnival committee has 360 small prizes to distribute to 5 booths. How many prizes will each booth get?

Estimate:

Number model with unknown:

The mall needs a row of parking spaces. The length of the parking area is 2,711 feet. If each parking space is 9 feet wide, how many spaces will there be?

Estimate:

Number model with unknown:

Answer: \_\_\_\_\_ prizes

Answer: \_\_\_\_\_ spaces

How many prizes are left over? \_\_\_ prizes

How many feet are left over? \_\_\_ feet

Solve using partial quotients. Show your work on the back of this page.

(3) 161 / 7 Estimate:

Answer: \_\_\_\_\_

4 576 / 4 Estimate: \_\_\_\_\_

Answer: \_\_\_\_\_

#### **Practice**

Put these decimals in order from least to greatest.

(5) 0.98, 0.34, 9.8, 0.08 \_\_\_\_\_\_, \_\_\_\_\_

**(6)** 0.11, 0.01, 0.10, 1.0 \_\_\_\_\_,

\_\_\_\_\_

Use <, >, or = to compare the decimals.

**(7)** 0.65 \_\_\_\_\_ 0.5

8 37.9 \_\_\_\_\_ 37.96

- Mrs. Patel brought a box of 124 strawberries to the party. She wants to divide the strawberries evenly among 8 people. How many strawberries will each person get?
- Mr. Chew has a box of 250 pens. He asks Maurice to divide the pens into groups of 8. How many groups can Maurice make?

Number	model	with	unknown:
			1.3

strawberries

Number model with answer:

What did you do about the remainder? Circle the answer.

A. Ignored it

Answer:

- B. Reported it as a fraction
- C. Rounded the answer up

Why? \_\_\_\_\_

Number model with unknown:

Answer:

\_ groups Number model with answer:

What did you do about the remainder? Circle the answer.

- A. Ignored it
- B. Reported it as a fraction
- **C.** Rounded the answer up

Why? \_\_\_\_\_

### **Practice**

Order the fractions from smallest to largest.






$$\frac{2}{3}$$
,  $\frac{1}{2}$ ,  $\frac{6}{8}$ ,  $\frac{99}{100}$  \_\_\_\_\_, \_\_\_\_, \_\_\_\_

## **Measuring Angles**

Cut out the angle measurer and use a pencil to poke a hole through the center.

Label each angle acute, right, or obtuse.

Then use the angle measurer to measure each angle.




Type of angle: \_\_\_\_\_


Angle measure: \_\_\_\_\_



Type of angle: \_\_\_\_\_


Angle measure: \_\_\_\_\_





Type of angle:

Angle measure: \_\_\_\_\_



Type of angle:

Angle measure: \_\_\_\_\_

## Practice

Multiply.


- (5) 1 7 3 \* 4
- 6 2 4 7
- 3 4\* 2 0

## Measuring Angles with a Protractor

First estimate whether the angles measure more or less than 90°. Then use a half-circle protractor to measure them.



- 2) ∠B: \_\_\_\_
- (3) ∠C: \_\_\_\_\_



- 4 ∠QRS: \_\_\_\_\_
- ⑤ ∠NOP: \_\_\_\_\_
- 6 ZKLM: \_\_\_\_\_

#### **Practice**

 7
 2
 3, 8
 0
 7

 +
 4
 2, 0
 0
 4

8 5 3 0, 0 8 3
+ 2 8 3, 6 9 0


9879423851

10 6 0 0, 2 9 9 - 5 1 0, 3 4 5

## **Finding Angle Measures**


Find the unknown angle measures in Problems 1–6. Do not use a protractor.

211-212



A straight angle measures 180°.

1



Equation with unknown:

Answer: \_\_\_\_\_


2



Equation with unknown: \_\_\_\_\_

Answer: \_\_\_\_\_


(3)



Equation with unknown:

0

(4)




Equation with unknown: \_\_\_\_\_

Answer: \_\_\_\_\_

Answer:

(5)



Equation with unknown:

Answer: \_\_\_\_\_



Equation with unknown:

Answer: \_\_\_\_\_

## Practice

Order the fractions from smallest to largest.

7 7 7 7 7 9 9

 $\frac{5}{9}$ ,  $\frac{99}{100}$ ,  $\frac{1}{4}$ ,  $\frac{9}{10}$ 

## **Solving Number Stories**

DATE

TIME

Write a number model with an unknown to represent each problem. Then solve.



Martin had some leftover fruit from making fruit salad. He had  $\frac{3}{12}$  pound of strawberries and  $\frac{1}{12}$  pound of blueberries.

Which fruit weighed more? \_\_\_\_\_

How many pounds of fruit did Martin have left?

Number model with unknown:

Answer: \_\_\_\_ pound

How much more did the strawberries weigh than the blueberries?

Number model with unknown:

Answer: \_\_\_\_\_ pound

- Charlotte and Beth each made a vegetable salad to take to a reunion. Together the salads weighed 6 pounds. Charlotte's salad weighed  $3\frac{1}{2}$  pounds.
  - How much did Beth's salad weigh?

Number model with unknown: \_\_\_\_\_

Answer: \_\_\_\_\_ pounds

How much more did Charlotte's salad weigh than Beth's?

Number model with unknown: \_\_\_\_\_

Answer: \_\_\_\_\_ pound

Andy's potato salad weighed  $1\frac{3}{8}$  pounds more than Mardi's. Mardi's potato salad weighed  $4\frac{2}{8}$  pounds. How much did Andy's potato salad weigh?

Number model with unknown: \_

Answer: \_\_\_\_\_ pounds

#### Practice:

- **4** 826 \* 5 = \_\_\_\_\_
- 48 \* 50 = \_\_\_\_\_

# Multiplying a Fraction by a Whole Number

Solve. Use drawings, words, and equations to represent the problems.



1 5 vans were needed for a camp field trip. There were 9 children per van.

How many children went on the field trip? \_\_\_\_\_ children

Drawing:

Words: \_\_\_\_\_ groups of \_\_\_\_\_

Addition equation:

Multiplication equation: \_\_\_\_\_

2 Penny and her 2 friends each ate  $\frac{1}{6}$  of a cake. How much cake did they eat?

\_\_\_\_\_ of a cake

Drawing:

Words: \_\_\_\_\_ groups of \_\_\_\_\_

Addition equation: \_\_\_\_\_

Multiplication equation:

3 Christopher wants to give his 4 friends  $\frac{3}{5}$  of a veggie pizza each.

How much veggie pizza will he need? \_\_\_\_\_ veggie pizzas


Drawing:

Words: \_\_\_\_\_ groups of \_\_\_\_\_

Addition equation:

Multiplication equation:

### Practice



$$(6)$$
 = 90 ÷ 5